

PP-9125W




15.6" ANDROID Panel PC

- CPU : RK-3288 Quad-core Cortex-A17
- Memory : 2GB DDR3 on Board
- Storage : 16GB Built-in eMMC


01/ FEC ANDROID

FEC provides a complete series of Android POS. From 10" to 22" in for lightweight usage, wall-mount as digital display or with stand for different types of POS terminals.



02/ SIMPLE ANDROID PANEL PC

A refined A Android Panel PC allows various applications and can be adapted to different installations.






ANDROID


- CPU : RK-3288 Quad-core Cortex-A17
- Memory : 2GB DDR3 on Board
- Storage : 16GB Built-in eMMC

FEC PLATFORM

Multiple software service in one platform. Nubis as device monitoring supports image/ app OTA.



Specifications



CPU

- Rock chip RK-3288 Quad-core Cortex-A17 up to 1.8GHz



Storage

- 16GB Built-in eMMC



Speaker

- 2 x 2W Internal Speaker



Touch

- True-Flat PCAP



MTBF

- 50K Hours



Mounting

- VESA 100 x 100 mm




Appearance

- Plastic+Aluminum + Metal
- Galaxy Grey with Black



Dimensions (W x H x D)

- Product: 368 x 257 x 315 mm
- Carton: 492 x 168 x 488 mm




Memory

- 2GB DDR3 On Board



Connection

- WIFI 802.11 ac & BT 4.2 (Optional)



Display

- 15.6" TFT, 1920 x 1080



Brightness

- 300 nits



OS

- Android 8.1 Oreo



Certification

- FCC / CE Class B



Temperature

- Operation: 0 °C ~ 40 °C (32 °F ~ 104 °F)
- Storage: -20 °C ~ 60 °C (-4 °F ~ 140 °F)



Weight

- Net: 3.17 Kg
- Gross: 5.19 Kg



Port

- 1 x 20V DC Input
- 1x RJ45 Gigabit LAN
- 1x Video Port
- 1x RJ11 Cash Drawer (12V or24V)
- 1 x SD/TF Card Slot (Max: 64GB)
- 1x Recovery button
- 2 x USB 2.0 Type A , 1 x USB 3.0 Type A (OTG)
- 2x RJ45 (COM1, COM2) RS232 (R1/5V/12V)
- Side I/O Interface:
- 1 x USB 2.0 Type A